

Black-Painted Square Tube Steel

STOCK NO	DESCRIPTION	SIZE (L X D X H) (IN INCHES)	APPROX. LBS.
SCRM	Medium Crescent Log Rack	48 x 14 x 40	30
SCRM-T	Table Top for Medium Crescent	50 x 14 x 1	11
SCRXL	Extra Large Crescent Log Rack	96 x 13 x 45	86



SCRM with SCRM-T



1.25" Square Tube; Holds 1/5 Cord of Wood



SCRM with SCRM-T



SCRXL
1.5" Square Tube; Holds 1/3 Cord of Wood

FEATURES

- Heavy-Duty Square Tube Steel Construction Protects and Neatly Stores Your Firewood
- 14-Gauge Steel (SCRXL) and 16-Gauge Steel (SCRM and SCRM-T)
- Protects Firewood from Rot, Termites, and Nesting Wildlife
- Black Powder Coat Finish Resists Chipping and Corrosion
- Easy to Assemble/Disassemble in Minutes

Made in the U.S.A.

Log Racks | Adjustable

Black Painted Steel

STOCK NO	DESCRIPTION	SIZE (L x D x H) (IN INCHES)	APPROX. LBS.
SLRA	Black-Painted Tubular Steel Log Rack Kit	Adj. x 13 x 42	15
SLRK	Black-Painted Steel Log Rack Bracket Kit - Screws Included	Adj. x 14 x Adj.	6

STORES YOUR FIREWOOD NEATLY AND SAFELY ABOVE THE GROUND



SLRA



SLRK

FEATURES

- Add 2 x 4's of Any Length to Customize the Storage You Need
- Heavy-Duty Construction
- Black Powder Coat Finish
- Helps Protect Your Firewood from Rot, Termites and Insects
- Easy to Assemble/Disassemble in Minutes

Log Racks | Deluxe

Black-Painted Tubular Steel

STOCK NO	DESCRIPTION	SIZE (L x D x H) (IN INCHES)	APPROX. LBS.
SLRS	Small Tubular Steel Rack - Ideal for Hearthside, Garage or Patio use	28 x 12 x 33	13
SLRM	Medium Tubular Steel Rack - Convenient Size Suitable for Patio or Garage	45 x 13 x 45	18
SLRXL	Extra Large Tubular Steel Rack - Extra Large Capacity, Full 8' Length	96 x 13 x 45	26
SLRXLT	Extra Large Tall Tubular Steel Rack - Extra Large 5' Tall Capacity, Full 8' Length	96 x 13 x 60	32

STORES YOUR FIREWOOD NEATLY AND SAFELY ABOVE THE GROUND

FEATURES

- Open-Air Design Provides Ventilation for Seasoning Firewood and for Cleaner, Safer Burning
- Heavy-Duty Steel Construction
- Protects Firewood from Rot, Termites, and Nesting Wildlife
- Black Powder Coat Finish Resists Chipping and Corrosion
- Easy to Assemble/Disassemble in Minutes
- Optional Covers Available



SLRM

SLRXL

TESTED TO 4,000 LBS


Made in the U.S.A.

Log Racks | Extender Log Rack

FEATURES

- Heavy-duty 16-Gauge, 1¼" Square Tube Construction, Holds Up to 3,000 lbs.
- Holds 1/5 Cord of Wood; Made in U.S.A.
- Protects Firewood from Rot, Termites, and Nesting Wildlife
- Black Powder Coat Finish Resists Chipping and Corrosion
- Easy to Assemble/Disassemble in Minutes 16 Feet
- Add Extender Kit (SERM-EXT) to Base Unit (SERM) to Extend Log Rack up to 8 Ft, 12 Ft, or 16 Ft

STOCK NO	SIZE (WxHxD) (IN INCHES)	APPROX LBS
SERM	48 x 45 x 13	15
SERM-EXT	48 x 45 x 13	12



Log Racks | Deluxe Log Rack Covers

STOCK NO	DESCRIPTION	SIZE (L x D x H) (IN INCHES)	APPROX. LBS.
SLRCD-S	Full Cover - Fits (SLRS) Log Rack	31 x 21 x 26	2.5
SLRCD-M	Full Cover - Fits (SLRM) Log Rack	48 x 21 x 38	4.5
SLRCD-XL	Full Cover - Fits (SLRXL) Log Rack	100 x 21 x 38	7.5

FEATURES

- Durable Woven Polyester Cloth Resists Fading and Cracking
- Protects Your Firewood from the Weather
- Keeps Wood Dry for Easier, Safer Burning
- Includes Metal Grommets to Easily Secure Cover
- Rust Resistant Zippers Allow for Easy Access



Log Racks | Log Caddy

STOCK NO	DESCRIPTION	SIZE (W x D x H) (IN INCHES)	APPROX. LBS.
SLCAD	Log Caddy - Wood Hauler	20.5 x 27 x 42	25
SLCAD-C	Log Caddy Cover	21 x 25 x 38	2

FEATURES

- Heavy Duty All-Steel Frame with Durable Powder Coat Finish
- Easy-Tilt Design with Pneumatic Tires Can Handle Stairs and the Toughest Terrain
- Slim Design Built to Go Through Door Frames. 14" Minimum Wood Length



Hearth Accessories | Kettle, Soot Eraser



STOCK NUMBER	SIZE	APPROX. LBS.
K25-BLK-P	2.5 Quarts	11
K50-BLK-P	5.0 Quarts	16

These Kettle Steamers may not be used for drinking water.

FEATURES

- Durable, Black Cast Iron Kettle Steamer
- Provides Beauty and Adds Humidity to Any Room
- Available in 2.5 & 5 Quart Sizes



Use Completely Dry!

- No Scrubbing • No Mess
- No Solvents • No Cleanser
- 100% Natural Vulcanized Rubber
- Non-Toxic • Made in the U.S.A.

STOCK NO	DESCRIPTION	APPROX. LBS.
SE-1	Soot Eraser Single Pack	0.4

The "Soot Eraser" works like an eraser, absorbing smoke residue, soot, fly-ash and dirt. Works on most surfaces including:

- Brick
- Mantels
- Fireplace Hearth
- Woodwork
- Window Blinds
- Window Shades
- Most Wallpaper
- Painted Walls

Hearth Accessories | SmokeGuard™

STOCK NUMBER	COLOR	HEIGHT (IN INCHES)	ADJUSTABLE WIDTH (IN INCHES)	APPROX. LBS.
FSG-BLK	BLACK	4	Fits 28 ½ to 48 Wide	5
FSG-BLK-6	BLACK	6	Fits 28 ½ to 48 Wide	6
FSG-BLK-8	BLACK	8	Fits 28 ½ to 48 Wide	7
FSG-BRS	BRASS	4	Fits 28 ½ to 48 Wide	5

Most fireplaces smoke because the opening is too high. SmokeGuard reduces the fireplace opening. It improves the draft and easily corrects the problem!

FEATURES

- Fixes Lazy Flues Due to Flue-to-Firebox Ratio Problems
- Black Powder Coat Finish (-BLK)
- Also Available in Plated Brass (-BRS)
- Spring Loaded for Easy Installation
- Heat Resistant Adhesive Caulk (included) Seals SmokeGuard in Position



Before



After

Made in the U.S.A.

Chimney Covers | Draft King™ Single Flue Galvanized



Black Galvanized

FEATURES

- HY-C's 7-Year Limited Warranty
- 24-Gauge Galvanized Steel Hood with Scalloped Corners and Turn Down Edges
- 14-Gauge Galvanized Steel Base for Extra Strength
- 18-Gauge 3/4" Expanded Galvanized Steel Mesh
- 18-Gauge 5/8" Expanded Galvanized Steel Mesh Available when Required by Local Jurisdictions
- Attractive Black Powder Coat Finish
- Slotted Hex-Head Mounting Bolts
- Outside Mounting Provides Greater Free Air Space for Better Draft
- Expanded Metal Mesh Turned Inward at Base Allows Cover to Rest Firmly on Tile, Closing any Openings around Tile
- Optional Heavy-Duty Leg Kit for Chimneys Where the Tile Does not Extend above the Crown
- Arrests Sparks and Reduces Certain Downdrafts

STOCK NUMBER	OUTSIDE TILE SIZE (IN INCHES)	FITS OUTSIDE TILE DIMENSION (IN INCHES)	APPROX. LBS.
CBO99	9 x 9	7½ x 7½ to 9½ x 9½	7
CBO913	9 x 13	7½ x 11½ to 9½ x 13½	8
CBO1313	13 x 13	11½ x 11½ to 13½ x 13½	10
CBO1318	13 x 18	11½ x 16½ to 13¼ x 18¼	12
CBO1818	18 x 18	16½ x 16½ to 18 x 18	14.5
CBO918	9 x 18	7½ x 16½ to 9¼ x 18¼	10
CBO59	5 x 9	3½ x 7½ to 5½ x 9½	5.5
CBO1216	12 x 16	10 x 14 to 12½ x 16¼	11.5
CBO1111	11 x 11	9¾ x 9¾ to 12 x 12	9.5
CBO1515	15 x 15	13¾ x 13¾ to 16 x 16	13.5
CBO2020	20 x 20	18½ x 18½ to 20¼ x 20¼	15
CBO811	10 Round - Slip-In	9½ to 10½ Round	8
CBO813	12 Round - Slip-In	11½ to 12½ Round	10.5
CBO815	14 Round - Slip-In	13½ to 14½ Round	11
CBO816	16 Round - Slip-In	15½ to 16½ Round	11.5
CBO818	18 Round - Slip-In	17½ to 18½ Round	12
CBO8	8 Round - Bolt-On	7½ to 8½ Round	5.5
CBO10	10 Round - Bolt-On	9½ to 10½ Round	6
CBO12	12 Round - Bolt-On	11½ to 12½ Round	9
CBO14	14 Round - Bolt-On	13½ to 14½ Round	9.5
CBO16	16 Round - Bolt-On	15½ to 16½ Round	13
CBO18	18 Round - Bolt-On	17½ to 18½ Round	13.5
SSLK	Leg Kit	Option to Convert Draft King Into Slip-In	1.5
SSLK-M	Leg Kit (Packed 25)	Option to Convert Draft King Into Slip-In	38

Note: In situations where Oil or Coal is burned, or when Wood or Pellets are used as the primary source of heat, do not use Aluminum or Black-Painted Galvanized Steel Covers.

Chimney Covers | Draft King™ Single Flue Stainless Steel

STOCK NUMBER	OUTSIDE TILE SIZE (IN INCHES)	FITS OUTSIDE TILE DIMENSION (IN INCHES)	APPROX. LBS.
SS99U	9 x 9	7½ x 7½ to 9½ x 9½	6.5
SS913U	9 x 13	7½ x 11½ to 9½ x 13½	8
SS1313U	13 x 13	11½ x 11½ to 13½ x 13½	9.5
SS1318U	13 x 18	11½ x 16½ to 13¼ x 18¼	11
SS1818U	18 x 18	16½ x 16½ to 18 x 18	13
SS918U	9 x 18	7½ x 16½ to 9¼ x 18¼	9
SS59U	5 x 9	3½ x 7½ to 5½ x 9½	5
SS1216U	12 x 16	10 x 14 to 12½ x 16¼	10.5
SS1111U	11 x 11	9¾ x 9¾ to 12 x 12	9
SS1515U	15 x 15	13¾ x 13¾ to 16 x 16	11.5
SS2020U	20 x 20	18½ x 18½ to 20¼ x 20¼	14
SS811U	10 Round - Slip-In	9½ to 10½ Round	7.5
SS813U	12 Round - Slip-In	11½ to 12½ Round	9.5
SS815U	14 Round - Slip-In	13½ to 14½ Round	10
SS816U	16 Round - Slip-In	15½ to 16½ Round	10.5
SS818U	18 Round - Slip-In	17½ to 18½ Round	11
SS10U	10 Round - Bolt-On	9½ to 10½ Round	6
SS12U	12 Round - Bolt-On	11½ to 12½ Round	8
SS14U	14 Round - Bolt-On	13½ to 14½ Round	9
SS16U	16 Round - Bolt-On	15½ to 16½ Round	12
SS18U	18 Round - Bolt-On	17½ to 18½ Round	13
SSLK	Leg Kit	Option to Convert Draft King Into Slip-In	1.5
SSLK-M	Leg Kit (Packed 25)	Option to Convert Draft King Into Slip-In	38



Stainless Steel

FEATURES

- HY-C's Lifetime Limited Warranty
- 100% 304 Stainless Steel
- 24-Gauge Stainless Steel Hood with Scalloped Corners and Roll-Formed Edges
- 16-Gauge Stainless Steel Base for Extra Strength
- 18-Gauge 3/4" Expanded Stainless Steel Mesh
- 18-Gauge 5/8" Expanded Stainless Steel Mesh Available when Required by Local Jurisdictions
- Slotted Hex-Head Stainless Steel Mounting Bolts
- Outside Mounting Provides Greater Free Air Space for Better Draft
- Expanded Metal Mesh Turned Inward at Base Allows Cover to Rest Firmly on Tile, Closing any Gaps around the Tile
- Optional Heavy-Duty Stainless Steel Leg Kit for Chimneys Where the Tile Does not Extend above the Crown
- Change "U" to "P" for Painted
- Arrests Sparks and Reduces Certain Downdrafts



SSLK - Leg Kit