

KUULAIRE™



**Personal Portable Evaporative Cooling
for Home and Office**

PACKA40

**Perfect for Cooling
Smaller Spaces**

- 3 speed settings
- Automatic-swing louvers
- Timer & remote control
- 3-gallon water capacity
- Uses high-efficiency rigid media



FEATURES

Dimensions	27h x 15.4w x 14.6d
Weight	22 lb
Cooling Capacity	175 sq ft
CFM	350
Water Reservoir	3 gal
Speeds	3
Remote	Yes
Hose Hookup	No
Water Level Sensor	No
Swing Louvers	Yes
Timer	Yes



KUULER • KLEANER • EKONOMICAL



For more information, call 1-800-695-2942 or 936-598-5651
Visit us online at www.kuulaire.com

KUULAIRE™




Limited Warranty

*Personal Portable Evaporative Cooling
for Home and Office*

PACKA45

Energy Efficient Cooling Power

- Push button controls
- 3 speed settings
- Automatic-swing louvers
- Timer & remote control
- 3-gallon water capacity
- Low-water sensor
- Uses high-efficiency rigid media



FEATURES

Dimensions	31.5h x 13.5w x 15.8d
Weight	25 lb
Cooling Capacity	200 sq ft
CFM	375
Water Reservoir	3 gal
Speeds	3
Remote	Yes
Hose Hookup	No
Water Level Sensor	Yes
Swing Louvers	Yes
Timer	Yes



KUULER • KLEANER • EKONOMICAL



For more information, contact **L.E. Klein Co., Inc.**

1-800-251-0073 or 972- 820-8899

Visit us online at www.leklein.com

KuulAire™ Products Manufactured by Port-A-Cool, LLC, Center, Texas 75935

KUULAIR™



Limited Warranty

**Personal Portable Evaporative Cooling
for Home and Office**

PACKA55

Energy Efficient Cooling Power

- Touch screen controls
- 3 speed settings
- Automatic-swing louvers
- Timer & remote control
- 8-gallon water capacity
- Low-water sensor
- Uses high-efficiency rigid media



FEATURES

Dimensions	33.6h x 20w x 16.5d
Weight	35 lb
Cooling Capacity	400 sq ft
CFM	800
Water Reservoir	8 gal
Speeds	3
Remote	Yes
Hose Hookup	No
Water Level Sensor	Yes
Swing Louvers	Yes
Timer	Yes



KUULER • KLEANER • EKONOMICAL



For more information, contact L.E. Klein Co., Inc.

1-800-251-0073 or 972- 820-8899

Visit us online at www.leklein.com

KuulAire™ Products Manufactured by Port-A-Cool, LLC, Center, Texas 75935

KUULAIRE™




Limited Warranty

Personal Portable Evaporative Cooling for Home and Office

PACKA12

Energy Efficient Cooling Power

- Touch panel controls
- 2 speed settings
- Automatic-swing louvers
- Timer & remote control
- Indoor or outdoor use
- 8-gallon water capacity
- Low-water sensor
- Safety lock feature
- Uses high-efficient rigid media



FEATURES

Dimensions _____	43h x 17w x 22d
Weight _____	55 lb
Cooling Capacity _____	500 sq ft
Water Reservoir _____	8 gal
Speeds _____	2
Remote _____	Yes
Hose Hookup _____	Yes
Water Level Sensor _____	Yes
Swing Louvers _____	Yes



KUULER • KLEANER • EKONOMICAL

For more information, call 1-800-695-2942 or 936-598-5651
Visit us online at www.kuulaire.com

KUULAIR™




Personal Portable Evaporative Cooling

COOLS INDOORS OR OUT!

PACKA77

Energy Efficient Cooling Power

- Touch panel controls
- 2 speed settings
- Automatic-swing louvers
- Timer & remote control
- Indoor or outdoor use
- 8-gallon water capacity
- Low-water sensor
- Convenient, built-in drink holder
- Uses high-efficiency rigid media



FEATURES

Dimensions	44.3h x 17w x 22d
Weight	55 lb
Cooling Capacity	600 sq ft
CFM	1200
Water Reservoir	8 gal
Speeds	2
Remote	Yes
Hose Hookup	Yes
Water Level Sensor	Yes
Swing Louvers	Yes
Timer	Yes



KUULER • KLEANER • EKONOMICAL

Port-A-Cool® and KuulAire™ Products are Manufactured by Port-A-Cool, LLC, Center, Texas 75935

For more information, contact **L.E. Klein Co., Inc.**

1-800-251-0073 or 972- 820-8899 • Visit us online at www.leklein.com

KUULAIR™



One Year
Limited Warranty

Personal Portable Evaporative Cooling
for Home and Office

PACKA15

Powerful, All Natural Cooling

- Touch panel controls
- 2 Speed settings
- Automatic-swing louvers
- Timer & remote control
- Indoor or outdoor use
- 12-gallon water capacity
- Safety lock feature
- Uses high-efficient rigid media



FEATURES

Dimensions	43h x 23w x 27d
Weight	91 lb
Cooling Capacity	750 sq ft
Water Reservoir	12 gal
Speeds	2
Remote	Yes
Hose Hookup	Yes
Water Level Sensor	Yes
Swing Louvers	Yes



KUULER • KLEANER • EKONOMICAL

For more information, call 1-800-695-2942 or 936-598-5651
Visit us online at www.kuulaire.com

Port-A-Cool Cyclone™ 3000



U.S. Patent 6,502,414
 U.S. Patent 6,223,548
 U.S. Patent D 362905



Centrifugal Air Supply, Two Speed Cools 700 sq. ft.

- Durable one-piece molded plastic polyethylene housing
- Centrifugal air delivery system
- Ready to operate right out of the box
- 16-gallon water tank
- Powerful 3,000 CFM delivered air
- Cools approximately 700 sq.ft.
- Easy operation
- Unit & water supply are both portable
- Operate for pennies a day, a fraction of the cost of standard air-conditioning
- Ready to operate right out of the box, just add water and plug it in!
- Environmentally friendly with efficient / effective resource use
- Cooling is accomplished naturally through the process of evaporation without the use of harmful refrigerants
- Long-term dependability plus almost maintenance-free operation

Port-A-Cool Cyclone™ 3000 SPECIFICATIONS

Two Speed

Air Delivery CFM	2,400 / 3,000
Fan Motor	1/3 h.p. / 115v / 5.6 amp
Pump	0.3 amp / 120VAC
Water reservoir	16 gallons
Dimensions	38"h x 29"w x 25"d
Unit weight	100 lbs.
Shipping weight	113 lbs.
Box Size	44"h x 30"w x 27"d
Cooling Capacity	700 sq. ft.

Stock # PAC2KCYC01A (Sienna Housing)



PORTABLE
POWERFUL
PRACTICAL

Port-A-Cool® Products are Manufactured by Port-A-Cool, LLC, Center, Texas 75935

For more information, contact L.E. Klein Co., Inc.
 1-800-251-0073 or 972- 820-8899 • Visit us online at www.leklein.com

Port-A-Cool JetStream™ 1600



U.S. Patent 6,502,414
U.S. Patent 6,223,548
U.S. Patent D 362905



Port-A-Cool Jetstream™ 1600
Cools 1,000 sq. ft.



PORT-A-COOL JETSTREAM™ 1600

	Variable Speed
Air Delivery CFM	4,000
Fan Motor	1/3HP, 115VAC, 60Hz, 3.6 Amps
Pump	1/40HP, 115VAC, 60Hz, 1.7 Amps
Water reservoir	42 gallons
Dimensions	59"h x 37.5w x 23.5"d
Unit weight	109 lbs.
Shipping weight	140 lbs.
Box Size	60"h x 38"w x 24"d
Cooling Capacity	1,000 sq. ft.

Stock # PACJS1600

- 1/3 horsepower motor
- Durable one-piece molded plastic polyethylene housing
- 42-gallon water tank is also sturdy, leak-proof one-piece molded plastic
- Cord management and adjustable louvers
- Easy roll, poly-on-poly casters
- Operate for around a dollar a day, a fraction of the cost of standard A/C
- Environmentally friendly with efficient / effective resource use
- Energy efficient motor and pump. Total running current is 5.3 amps
- Long-term dependability plus almost maintenance-free operation
- Unit & water supply are both portable



Port-A-Cool® Products are Manufactured by Port-A-Cool, LLC, Center, Texas 75935

For more information, contact L.E. Klein Co., Inc.
1-800-251-0073 or 972- 820-8899 • Visit us online at www.leklein.com



What Does it Take to Be Cool?



Water and Electricity Consumption by Model Size During Eight Hours of Operation



PAC2KCYC01



PACJS1600

ELECTRICITY CONSUMPTION

47 Cents

8 hours of operation

WATER CONSUMPTION

13 Cents

8 hours of operation

ELECTRICITY CONSUMPTION

44 Cents

8 hours of operation

WATER CONSUMPTION

22 Cents

8 hours of operation



PACKA45



PACKA55



PACKA77

ELECTRICITY CONSUMPTION

7 Cents

8 hours of operation

WATER CONSUMPTION

4 Cents

8 hours of operation

ELECTRICITY CONSUMPTION

21 Cents

8 hours of operation

WATER CONSUMPTION

6 Cents

8 hours of operation

ELECTRICITY CONSUMPTION

18 Cents

8 hours of operation

WATER CONSUMPTION

11 Cents

8 hours of operation

Electricity consumption Based on 2007 U.S. national average of .0909 per KW hour. Data compiled using standard lab conditions of temperature and humidity. Water consumption Based on 2007 U.S. national average of .00652 per gallon. Data compiled using standard lab conditions of temperature and humidity. Performance may vary depending on location.



Available from:
L.E. Klein Co., Inc.
1-800-251-0073 or 972- 820-8899
Visit us online at www.leklein.com