Carol Rose Coastal Collection -Outdoor Burners, Log Sets, Firepits, and Fireplaces

Carol Rose Coastal Collection Outdoor Loft Burners

Approximate Turndown 33% Decorative Glass not available on this model Min Opening OLI24: 18 H x 34 W x 18 D Min Opening OLI30: 18 H x 36 W x 18 D



Outdoor Loft Series Stainless Steel Burners

Model		de Variable Remote Control Description	Wt	List
OLI24P	36,000/28,000	IP, Variable Remote, 24, Propane	16	\$ 1,299.00
OLI24N	36,000/27,000	IP, Variable Remote, 24, Nat	16	\$ 1,299.00
OLI30P	40,000/28,000	IP, Variable Remote, 30, Propane	18	\$ 1,379.00
OLI30N	36,000/27,000	IP, Variable Remote, 30, Nat	18	\$ 1,379.00

Model	Description	Wt	Li	st
GT060	E-Stop Gas Timer, 1 to 60 min.	3	\$	194.00
GT150	E-Stop Gas Timer, 1 to 150 min.	3	\$	194.00
GTCSS	E-Stop Timer Compartment, Stainless Steel	1.5	\$	134.00

Carol Rose Coastal Collection Outdoor Refractory Log Sets & Burners

Min Opening OLX24: 24 3/16 H x 34 3/16 W x 15 9/16 D Min Opening OLX30: 24 3/16 H x 38 5/16 W x 15 9/16 D



Outdoor Wildwood Refractory Log Set (Req Burner)

Model		Description	Wt	List
OLX24WR	25/pallet	7-pc., 24-in., Refractory	66	\$ 379.00
OLX30WR	25/pallet	7-pc., 30-in., Refractory	70	\$ 419.00

Outdoor Harmony Stainless Steel Burners Millivolt Control with On/Off Switch

Model		Description	Wt	List
ONR24P	50,000/38,000	MV, 24-in., Propane	24	\$ 939.00
ONR24N	50,000/38,000	MV, 24-in., Nat	24	\$ 939.00
ONR30P	50,000/38,000	MV, 30-in., Propane	25	\$ 1,019.00
ONR30N	50,000/38,000	MV, 30-in., Nat	25	\$ 1,019.00

Outdoor Harmony Stainless Steel Burners, Intermittent Ignition System includes Variable Remote Control

Model		Description	Wt	List
ONI24P	50,000/34,000	IP Variable Remote, 24, Propane	24	\$ 1,309.00
ONI24N	50,000/32,000	IP Variable Remote, 24, Nat	24	\$ 1,309.00
ONI30P	50,000/34,000	IP Variable Remote, 30, Propane	25	\$ 1,379.00
ONI30N	50,000/32,000	IP Variable Remote, 30, Nat	25	\$ 1,379.00

Control Options for MV

Model	Description	Wt	List
FRBC	Remote, Battery Receiver/Remote, On/Off	1	\$ 174.00
FWS1	Wall Switch, On/Off	1	\$ 28.00

Model	Description	Wt	List
GT060	E-Stop Gas Timer, 1 to 60 min.	3	\$ 194.00
GT150	E-Stop Gas Timer, 1 to 150 min.	3	\$ 194.00
GTCSS	E-Stop Timer Compartment, Stainless Steel	1.5	\$ 134.00

Carol Rose Coastal Collection Outdoor Firebox, Premium 36

Ventless Firebox for outdoor installation May ship with clear protection film on stainless steel remove before lighting fireplace

Opening 15 9/16 x 36 Framing 36 H x 41 W x 19 1/4 D (see manual before framing)

Includes: • Stainless Steel Hood and Mesh Curtain

Requires:

Burner and Log Set
 Outdoor Stainless Steel Firebox 36

11	1801		 116
		1	
	í		

Model	Description	Wt	List
OP36FB2MF	Flush Front, Refractory Liner	150	\$ 1,279.00

Accessories

Model	Description	Wt	List
BD36SS	Doors, Glass Bi-Fold, SS	14	\$ 549.00
DT36SS	Drain Tray, 36-in., Stainless Steel	12	\$ 349.00
WD36SS	Weather Door, 36-in., Stainless Steel	17	\$ 289.00

Model	Description	Wt	List	
GT060	E-Stop Gas Timer, 1 to 60 min.	3	\$ 194.	.00
GT150	E-Stop Gas Timer, 1 to 150 min.	3	\$ 194	.00
GTCSS	E-Stop Timer Compartment, Stainless Steel	1.5	\$ 134	.00

Carol Rose Coastal Collection Outdoor Firebox, Premium 42

Ventless Firebox for outdoor installation May ship with clear protection film on stainless steel remove before lighting fireplace

Opening 15 9/16 x 42 Framing 36 H x 45 W x 19 1/4 D (see manual before framing)

Includes: • Stainless Steel Hood and Mesh Curtain

Requires:

Burner and Log Set
 Outdoor Stainless Steel Firebox 42

-
1
1

Model	Description	Wt	List
OP42FB2MF	Flush Front, Refractory Liner	160	\$ 1,399.00

Accessories

Model	Description	Wt	List
BD42SS	Doors, Glass Bi-Fold, SS	15	\$ 639.00
DT42SS	Drain Tray, 42-in., Stainless Steel	15	\$ 419.00
WD42SS	Weather Door, 42-in., Stainless Steel	20	\$ 319.00

Model	Description	Wt	List
GT060	E-Stop Gas Timer, 1 to 60 min.	3	\$ 194.00
GT150	E-Stop Gas Timer, 1 to 150 min.	3	\$ 194.00
GTCSS	E-Stop Timer Compartment, Stainless Steel	1.5	\$ 134.00

Carol Rose Coastal Collection Outdoor Fireplace, Premium 36

Ventless Fireplace for outdoor installation May ship with clear protection film on stainless steel -

remove before lighting fireplace

Opening 24 1/4 x 36 Framing 36 H x 41 W x 19 1/4 D (see manual before framing)

Includes: • Stainless Steel Hood and Mesh Curtain Refractory Liner

Requires:



	5			
	Model		Description	
	OP36FP32MP	50 000/36 000	MV Refractory Liner Propane	

woder		Description	VVL	LISL
OP36FP32MP	50,000/36,000	MV, Refractory Liner, Propane	162	\$ 2,349.00
OP36FP32MN	50,000/38,000	MV, Refractory Liner, Nat	162	\$ 2,349.00

Intermittent Ignition with Variable Remote Control, Refractory Liner

Model		Description	Wt	List
OP36FP72MP	50,000/36,000	Int Ign, Refractory Liner, Propane	161	\$ 2,639.00
OP36FP72MN	50,000/38,000	Int Ign, Refractory Liner, Nat	161	\$ 2,639.00

Outdoor Wildwood Refractory Log Set (Req)

Model		Description	Wt	List
OLX24WR	25/pallet	7-pc., 24-in., Refractory	66	\$ 379.00

Accessories

Model	Description	Wt	List
BD36SS	Doors, Glass Bi-Fold, SS	14	\$ 549.00
DT36SS	Drain Tray, 36-in., Stainless Steel	12	\$ 349.00
WD36SS	Weather Door, 36-in., Stainless Steel	17	\$ 289.00

Control Options for MV

Model	Description	Wt	List
FRBC	Remote, Battery Receiver/Remote, On/Off	1	\$ 174.00
FWS1	Wall Switch, On/Off	1	\$ 28.00

Gas Supply Timer Options

Model	Description	Wt	List	
GT060	E-Stop Gas Timer, 1 to 60 min.	3	\$ 194	4.00
GT150	E-Stop Gas Timer, 1 to 150 min.	3	\$ 194	4.00
GTCSS	E-Stop Timer Compartment, Stainless Steel	1.5	\$ 134	4.00

Model	Description	Wt	List
31996	Nat to Propane - MV	1	\$ 54.00
31997	Propane to Nat - MV	1	\$ 54.00
31992	Nat to Propane - IP	1	\$ 64.00
31993	Propane to Nat - IP	1	\$ 64.00

Carol Rose Coastal Collection Outdoor Fireplace, Premium 42

Ventless Fireplace for outdoor installation May ship with clear protection film on stainless steel -

remove before lighting fireplace

Opening 24 1/4 x 42 Framing 36 H x 45 W x 19 1/4 D (see manual before framing)

Includes: • Stainless Steel Hood and Mesh Curtain Refractory Liner

Requires:

Requires.					
• Outdoor Wildwood R Millivolt Control wi	efractory Log Set				
Millivolt Control wi	ith On/Off Swite	ch, Standing	Pilot,	Refractory	Liner
Model				Desci	ription

Model		Description	Wt	List
OP42FP32MP	50,000/36,000	MV, Refractory Liner, Propane	168	\$ 2,579.00
OP42FP32MN	50,000/38,000	MV, Refractory Liner, Nat	164	\$ 2,579.00

Intermittent Ignition with Variable Remote Control, Refractory Liner

Model		Description	Wt	List
OP42FP72MP	50,000/36,000	Int Ign, Refractory Liner, Propane	170	\$ 2,879.00
OP42FP72MN	50,000/38,000	Int Ign, Refractory Liner, Nat	165	\$ 2,879.00

Outdoor Wildwood Refractory Log Set (Req)

Model		Description	Wt	List
OLX30WR	25/pallet	7-pc., 30-in., Refractory	70	\$ 419.00

Accessories

Model	Description	Wt	List
BD42SS	Doors, Glass Bi-Fold, SS	15	\$ 639.00
DT42SS	Drain Tray, 42-in., Stainless Steel	15	\$ 419.00
WD42SS	Weather Door, 42-in., Stainless Steel	20	\$ 319.00

Control Options for MV

Model	Description	Wt	List
FRBC	Remote, Battery Receiver/Remote, On/Off	1	\$ 174.00
FWS1	Wall Switch, On/Off	1	\$ 28.00

Gas Supply Timer Options

Model	Description	Wt	List	
GT060	E-Stop Gas Timer, 1 to 60 min.	3	\$ 194.	.00
GT150	E-Stop Gas Timer, 1 to 150 min.	3	\$ 194.	.00
GTCSS	E-Stop Timer Compartment, Stainless Steel	1.5	\$ 134.	.00

Model	Description	Wt	List
31998	Nat to Propane - MV	1	\$ 54.00
31999	Propane to Nat - MV	1	\$ 54.00
31994	Nat to Propane - IP	1	\$ 64.00
31995	Propane to Nat - IP	1	\$ 64.00

Carol Rose Coastal Collection Outdoor Fire Pit, Linear 48

For outdoor installation

Available with Pre-Programmed-Color LED Lighting beneath burner Opening 13 11/16 x 46 7/8 See manual before framing

Includes:

Manual Electronic Ignition with AA Battery
 3-Stage Manually Variable Flame

Requires:

• Crushed Glass (6 sq. ft.)

(Glass Drops or Droplets may be added to area surrounding burner)

Outdoor Stainless Steel Linear Fire Pit

Outdoor Stainless S	teel Linear Fire	e Pit		
Model		Description	Wt	List
OL48TP10P	55,000/35,500	48-in., Manual, Propane	62	\$ 1,929.00
OL48TP10N	55,000/39,500	48-in., Manual, Nat	62	\$ 1,929.00
OL48TP18P	55,000/35,500	48-in., Manual, Multicolor LED Lighting, Propane	62	\$ 2,409.00
OL48TP18N	55,000/39,500	48-in., Manual, Multicolor LED Lighting, Nat	62	\$ 2,409.00

Accessories

Model	Description	Wt	List
BBA	Stainless Steel Tilt-out Propane Tank Door	19	\$ 379.00
BRB	Stainless Steel Register Kit (2 registers, for island ventilation)	1	\$ 69.00
DT48LSS	Drain Tray, 48/60 Linear, Stainless Steel	10.5	\$ 339.00
WC48LSS	Weather Cover	14	\$ 399.00
WG484LT	Wind Deflector Glass, Tall	35	\$ 269.00

Crushed Glass - (6 sq. ft. Required for Burner and LED Lighting)

Model	Description	Wt	List
DG1BZR	Crushed Glass, Bronze Reflective, approx. 1 sq. ft.	2.5	\$ 71.00
DG1BCR	Crushed Glass, Copper Reflective, approx. 1 sq. ft.	2.5	\$ 71.00
DG1CLF	Crushed Glass, Clear Frost, approx. 1 sq. ft.	2.5	\$ 71.00

Crushed Glass – For Accent Only

Model		Description	Wt	List
DG1BKP	C	rushed Glass, Black Polished, approx. 1 sq. ft.	2.5	\$ 71.00
DG1BUC	C	rushed Glass, Blue Clear, approx. 1 sq. ft.	2.5	\$ 71.00

Glass Drops and Droplets - (Use as accents in addition to Crushed Glass) Covers 1 sq. ft.

Model	Description	Wt	List
DG1NXS	Drops 1-in., Onyx Solid, approx. 1 sq. ft.	3.75	\$ 58.00
DG1GC	Droplets, 1/2-in., Glacier Ice, approx. 1 sq. ft.	3	\$ 40.00

Gas Supply Timer Options

Model	Description	Wt	List
GT060	E-Stop Gas Timer, 1 to 60 min.	3	\$ 194.0
GT150	E-Stop Gas Timer, 1 to 150 min.	3	\$ 194.0
GTCSS	E-Stop Timer Compartment, Stainless Steel	1.5	\$ 134.0

Model	Description	Wt	List
37991	Propane to Nat	1	\$ 149.00
37992	Nat to Propane	1	\$ 149.00



Carol Rose Coastal Collection Outdoor Fire Pit, Linear 60

For outdoor installation Available with Pre-Programmed-Color LED Lighting beneath burner Opening 13 11/16 x 58 7/8 See manual before framing

Includes:

 Manual Electronic Ignition with AA Battery • 3-Stage Manually Variable Flame

Requires:

Crushed Glass (7 sq. ft.)

(Glass Drops or Droplets may be added to area surrounding burner)

Outdoor Stainless Steel Linear Fire Pit



Model		Description	Wt	List
OL60TP10P	65,000/38,000	60-in., Manual, Propane	99	\$ 2,159.00
OL60TP10N	65,000/46,500	60-in., Manual, Nat	99	\$ 2,159.00
OL60TP18P	65,000/38,000	60-in., Manual, Multicolor LED Lighting, Propane	99	\$ 2,639.00
OL60TP18N	65,000/46,500	60-in., Manual, Multicolor LED Lighting, Nat	99	\$ 2,639.00

1.444.4

Accessories

Model	Description	Wt	List
BBA	Stainless Steel Tilt-out Propane Tank Door	19	\$ 379.00
BRB	Stainless Steel Register Kit (2 registers, for island ventilation)	1	\$ 69.00
DT48LSS	Drain Tray, 48/60 Linear, Stainless Steel	10.5	\$ 339.00
WC60LSS	Weather Cover	16	\$ 449.00
WG604LT	Wind Deflector Glass, Tall	43	\$ 359.00

Crushed Glass (translucent) - place over LED lighting

Model	Description	Wt	List
DG1BZR	Crushed Glass, Bronze Reflective, approx. 1 sq. ft.	2.5	\$ 71.00
DG1BCR	Crushed Glass, Copper Reflective, approx. 1 sq. ft.	2.5	\$ 71.00
DG1CLF	Crushed Glass, Clear Frost, approx. 1 sq. ft.	2.5	\$ 71.00

Crushed Glass (opaque), Glass Drops, and Glass Droplets - for accent only

Model	Description	Wt	List
DG1BKP	Crushed Glass, Black Polished, approx. 1 sq. ft.	2.5	\$ 71.00
DG1BUC	Crushed Glass, Blue Clear, approx. 1 sq. ft.	2.5	\$ 71.00
DG1NXS	Drops 1-in., Onyx Solid, approx. 1 sq. ft.	3.75	\$ 58.00
DG1GC	Droplets, 1/2-in., Glacier Ice, approx. 1 sq. ft.	3	\$ 40.00

Gas Supply Timer Options

Model	Description	Wt	Lis	t
GT060	E-Stop Gas Timer, 1 to 60 min.	3	\$ 1	94.00
GT150	E-Stop Gas Timer, 1 to 150 min.	3	\$ 1	94.00
GTCSS	E-Stop Timer Compartment, Stainless Steel	1.5	\$ 1	34.00

Model	Description	Wt	List
37993	Propane to Nat	1	\$ 149.0
37994	Nat to Propane	1	\$ 149.0

Carol Rose Coastal Collection Outdoor Fireplace, Linear 48

Ventless Fireplace for outdoor installation Opening 16 3/16 x 48 Framing 40 13/16 H x 52 W x 19 1/4 D (see manual before framing)

Includes:

- Pre-Programmed-Color LED Lighting beneath burner
 Manual Electronic Ignition with AA Battery
- 3-Stage Manually Variable Flame Height
- Weather Deflector Glass Panels (Taller panel available for windy applications)

Requires: • Decorative Crushed Glass (8 sq. ft. required for 48-in) (Glass Drops or Droplets may be added to area surrounding burner)

Outdoor Stainless Steel Linear Firenless



Outdoor Stanness S	teel Linear Fire			
Model		Description	Wt	List
OLL48FP12SP	55,000/35,000	48-in., Manual, Propane	178	\$ 3,389.00
OLL48FP12SN	55,000/35,000	48-in., Manual, Nat	178	\$ 3,389.00

Accessories

Model	Description	Wt	List
DT48LSS	Drain Tray, 48/60 Linear, Stainless Steel	10.5	\$ 339.00
WD48LSS	Weather Door, 48-in. Linear, Stainless Steel	12	\$ 264.00
WG48LT1	Deflector Glass, 48-in. Linear	27	\$ 234.00

Gas Supply Timer Options

Model	Description	Wt	List
GT060	E-Stop Gas Timer, 1 to 60 min.	3	\$ 194.00
GT150	E-Stop Gas Timer, 1 to 150 min.	3	\$ 194.00
GTCSS	E-Stop Timer Compartment, Stainless Steel	1.5	\$ 134.00

Conversion Kits

Model	Description	Wt	List
33814	Propane to Nat - Manual	1	\$ 149.00
33815	Nat to Propane - Manual	1	\$ 149.00

Crushed Glass (translucent) - place over LED lighting

Model	Description	Wt	List
DG1BZR	Crushed Glass, Bronze Reflective, approx. 1 sq. ft.	2.5	\$ 71.00
DG1BCR	Crushed Glass, Copper Reflective, approx. 1 sq. ft.	2.5	\$ 71.00
DG1CLF	Crushed Glass, Clear Frost, approx. 1 sq. ft.	2.5	\$ 71.00

Model	Description	Wt	List
DG1BKP	Crushed Glass, Black Polished, approx. 1 sq. ft.	2.5	\$ 71.00
DG1BUC	Crushed Glass, Blue Clear, approx. 1 sq. ft.	2.5	\$ 71.00
DG1NXS	Drops 1-in., Onyx Solid, approx. 1 sq. ft.	3.75	\$ 58.00
DG1GC	Droplets, 1/2-in., Glacier Ice, approx. 1 sq. ft.	3	\$ 40.00

Carol Rose Coastal Collection Outdoor Fireplace, Linear 60

Ventless Fireplace for outdoor installation Opening 16 3/16 x 60 Framing 31 H x 64 W x 19 1/4 D (see manual before framing)

Includes:

- Pre-Programmed-Color LED Lighting beneath burner
 Manual Electronic Ignition with AA Battery
- 3-Stage Manually Variable Flame Height
- Weather Deflector Glass Panels (Taller panel available for windy applications)

Requires: • Decorative Crushed Glass (10 sq. ft. required for 60-in) (Glass Drops or Droplets may be added to area surrounding burner)

Outdoor Stainless Steel Linear Firenlace



Outdoor Stanness S	teel Linear I'n c			
Model		Description	Wt	List
OLL60FP12SP	65,000/39,000	60-in., Manual, Propane	253	\$ 4,319.00
OLL60FP12SN	65,000/39,000	60-in., Manual, Nat	253	\$ 4,319.00

Accessories

Model	Description	Wt	List
DT48LSS	Drain Tray, 48/60 Linear, Stainless Steel	10.5	\$ 339.00
WD60LSS	Weather Door, 60-in. Linear, Stainless Steel	14.5	\$ 329.00
WG60LT1	Deflector Glass, 60-in. Linear	37	\$ 279.00

Gas Supply Timer Options

Model	Description	Wt	List
GT060	E-Stop Gas Timer, 1 to 60 min.	3	\$ 194.00
GT150	E-Stop Gas Timer, 1 to 150 min.	3	\$ 194.00
GTCSS	E-Stop Timer Compartment, Stainless Steel	1.5	\$ 134.00

Conversion Kits

Model	Description	Wt	List
35829	Nat to Propane - Manual	1	\$ 149.00
35830	Propane to Nat - Manual	1	\$ 149.00

Crushed Glass (translucent) - place over LED lighting

Model	Description	Wt	List
DG1BZR	Crushed Glass, Bronze Reflective, approx. 1 sq. ft.	2.5	\$ 71.00
DG1BCR	Crushed Glass, Copper Reflective, approx. 1 sq. ft.	2.5	\$ 71.00
DG1CLF	Crushed Glass, Clear Frost, approx. 1 sq. ft.	2.5	\$ 71.00

Model	Description	Wt	List
DG1BKP	Crushed Glass, Black Polished, approx. 1 sq. ft.	2.5	\$ 71.00
DG1BUC	Crushed Glass, Blue Clear, approx. 1 sq. ft.	2.5	\$ 71.00
DG1NXS	Drops 1-in., Onyx Solid, approx. 1 sq. ft.	3.75	\$ 58.00
DG1GC	Droplets, 1/2-in., Glacier Ice, approx. 1 sq. ft.	3	\$ 40.00

Carol Rose Coastal Collection Outdoor Fireplace, Linear See-Through 48

Ventless Fireplace for outdoor installation Opening 16 3/16 x 48 Framing 40 13/16 H x 52 W x 22 5/16 D (see manual before framing)

Includes:

- Pre-Programmed-Color LED Lighting beneath burner
 Manual Electronic Ignition with AA Battery

- S-Stage Manually Variable Flame Height
 Weather Deflector Glass Panels (Taller panel available for windy applications)

Requires: • Decorative Crushed Glass (8 sq. ft. required for 48-in)

Outdoor Stainless Steel Linear Firenlace



Outdoor Stanness S	teel Linear Fire	place		
Model		Description	Wt	List
OLL48SP12SP	55,000/35,000	See-Through, 48-in., Manual, Propane	198	\$ 3,619.00
OLL48SP12SN	55,000/35,000	See-Through 48-in., Manual, Nat	198	\$ 3,619.00

Accessories

Model	Description	Wt	List
DT48LSS	Drain Tray, 48/60 Linear, Stainless Steel	10.5	\$ 339.00
WD48LSS	Weather Door, 48-in. Linear, Stainless Steel	12	\$ 264.00
WG48LT1	Deflector Glass, 48-in. Linear	27	\$ 234.00
Order Two Weather Doors a	nd Deflector Glass Kits for See-Through Fireplace		

Gas Supply Timer Options

Model	Description	Wt	List
GT060	E-Stop Gas Timer, 1 to 60 min.	3	\$ 194.00
GT150	E-Stop Gas Timer, 1 to 150 min.	3	\$ 194.00
GTCSS	E-Stop Timer Compartment, Stainless Steel	1.5	\$ 134.00

Conversion Kits

Model	Description	Wt	List
33814	Propane to Nat - Manual	1	\$ 149.00
33815	Nat to Propane - Manual	1	\$ 149.00

Crushed Glass (translucent) - place over LED lighting

Model	Description	Wt	List
DG1BZR	Crushed Glass, Bronze Reflective, approx. 1 sq. ft.	2.5	\$ 71.00
DG1BCR	Crushed Glass, Copper Reflective, approx. 1 sq. ft.	2.5	\$ 71.00
DG1CLF	Crushed Glass, Clear Frost, approx. 1 sq. ft.	2.5	\$ 71.00

Model	Description	Wt	List
DG1BKP	Crushed Glass, Black Polished, approx. 1 sq. ft.	2.5	\$ 71.00
DG1BUC	Crushed Glass, Blue Clear, approx. 1 sq. ft.	2.5	\$ 71.00
DG1NXS	Drops 1-in., Onyx Solid, approx. 1 sq. ft.	3.75	\$ 58.00
DG1GC	Droplets, 1/2-in., Glacier Ice, approx. 1 sq. ft.	3	\$ 40.00

Carol Rose Coastal Collection Outdoor Fireplace, Linear See-Through 60

Ventless Fireplace for outdoor installation Opening 16 3/16 x 60 Framing 31 H x 64 W x 22 1/2 D (see manual before framing)

Includes:

- Pre-Programmed-Color LED Lighting beneath burner
 Manual Electronic Ignition with AA Battery

- 3-Stage Manually Variable Flame Height
 Weather Deflector Glass Panels (Taller panel available for windy applications)

Requires: • Decorative Crushed Glass (10 sq. ft. required for 60-in) (Glass Drops or Droplets may be added to area surrounding burner)

Outdoor Stainless Steel Linear Firenlace



Outdoor Stanness Steer Entear Fireplace					
Model	BTU Max/Min	Description	Wt	List	
OLL60SP12SP	65,000/39,000	See-Through, 60-in., Manual, Propane	296	\$ 4,699.00	
OLL60SP12SN	65,000/39,000	See-Through 60-in., Manual, Nat	296	\$ 4,669.00	

Accessories

Description	Wt		List
Drain Tray, 48/60 Linear, Stainless Steel	10.5	\$	339.00
Weather Door, 60-in. Linear, Stainless Steel	14.5	\$	329.00
Deflector Glass, 60-in. Linear	37	\$	279.00
	Drain Tray, 48/60 Linear, Stainless Steel Weather Door, 60-in. Linear, Stainless Steel	Drain Tray, 48/60 Linear, Stainless Steel10.5Weather Door, 60-in. Linear, Stainless Steel14.5	Drain Tray, 48/60 Linear, Stainless Steel10.5\$Weather Door, 60-in. Linear, Stainless Steel14.5\$

Order Two Weather Doors and Deflector Glass Kits for See-Through Fireplace

Gas Supply Timer Options

Model	Description	Wt	List
GT060	E-Stop Gas Timer, 1 to 60 min.	3	\$ 194.00
GT150	E-Stop Gas Timer, 1 to 150 min.	3	\$ 194.00
GTCSS	E-Stop Timer Compartment, Stainless Steel	1.5	\$ 134.00

Conversion Kits

Model	Description	Wt	List
35829	Nat to Propane - Manual	1	\$ 149.00
35830	Propane to Nat - Manual	1	\$ 149.00

Crushed Glass (translucent) - place over LED lighting

Model	Description	Wt	List
DG1BZR	Crushed Glass, Bronze Reflective, approx. 1 sq. ft.	2.5	\$ 71.00
DG1BCR	Crushed Glass, Copper Reflective, approx. 1 sq. ft.	2.5	\$ 71.00
DG1CLF	Crushed Glass, Clear Frost, approx. 1 sq. ft.	2.5	\$ 71.00

Model	Description	Wt	List
DG1BKP	Crushed Glass, Black Polished, approx. 1 sq. ft.	2.5	\$ 71.00
DG1BUC	Crushed Glass, Blue Clear, approx. 1 sq. ft.	2.5	\$ 71.00
DG1NXS	Drops 1-in., Onyx Solid, approx. 1 sq. ft.	3.75	\$ 58.00
DG1GC	Droplets, 1/2-in., Glacier Ice, approx. 1 sq. ft.	3	\$ 40.00